

Package: cutoff (via r-universe)

November 3, 2024

Title Seek the Significant Cutoff Value

Version 1.1

Description Seek the significant cutoff value for a continuous variable, which will be transformed into a classification, for linear regression, logistic regression, logrank analysis and cox regression. First of all, all combinations will be gotten by `combn()` function. Then `n.per` argument, abbreviated of total number percentage, will be used to remove the combination of smaller data group. In logistic, Cox regression and logrank analysis, we will also use `p.per` argument, patient percentage, to filter the lower proportion of patients in each group. Finally, `p` value in regression results will be used to get the significant combinations and output relevant parameters. In this package, there is no limit to the number of cutoff points, which can be 1, 2, 3 or more. Missing values will be deleted by `na.omit()` function before analysis.

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

Imports survival, set, do

URL <https://github.com/yikeshu0611/cutoff>

BugReports <https://github.com/yikeshu0611/cutoff/issues>

Repository <https://yikeshu0611.r-universe.dev>

RemoteUrl <https://github.com/yikeshu0611/cutoff>

RemoteRef HEAD

RemoteSha b0b1eb9c1599c31d8423c50e02e8b94e7e438c22

Contents

cox	2
-----------	---

cutit	3
judge_123	4
judge_321	4
linear	5
logit	6
logrank	7
x_ab	8
Index	9

 cox

Significant Cutoff Value for Cox Regression

Description

Significant Cutoff Value for Cox Regression

Usage

```
cox(data, time, y, x, cut.numb, n.per, y.per, p.cut = 0.05,
    strict = TRUE, include = "low", round = 2)
```

Arguments

data	data
time	name for time variable
y	name for y, must be coded as 1 and 0. The outcome must be 1
x	name for x
cut.numb	number of cutoff points
n.per	the least percentage of the smaller group comprised in all patients
y.per	the least percentage of the smaller outcome patients comprised in each group
p.cut	cutoff of p value, default is 0.05
strict	logical. TRUE means significant differences for each group combination were considered. FALSE means considering for any combination
include	direction of cutoff point. Any left letter of lower or upper
round	digital. Default is 2

Value

a dataframe contains cutoff points value, subject numbers in each group, dumb variable, beta of regression and p value.

Examples

```
cox(data=mtcars,  
     time = 'disp', y='am', x='wt',  
     cut.numb=2,  
     n.per=0.25,  
     y.per=0.10)
```

```
cox(data=mtcars,  
     time = 'disp', y='am', x='wt',  
     cut.numb=2,  
     n.per=0.25,  
     y.per=0.10,  
     p.cut=0.05,  
     strict=TRUE,  
     include='low',  
     round=2)
```

cutit

Cut Continuous Vector to Classification

Description

Cut Continuous Vector to Classification

Usage

```
cutit(x, cut_points, include = "low", labels = FALSE)
```

Arguments

x	numeric vector
cut_points	cutting points value
include	The direction of cutoff point. Any left letter of lower or upper
labels	logical. False is defaulted. TRUE means set range as factor.

Value

numeric vector or factor

Examples

```
cutit(mtcars$disp,c(150,190))  
cutit(mtcars$disp,c(150,190),labels = TRUE)
```

`judge_123`*Whether the Data Is Arranged from Small to Large*

Description

Whether the Data Is Arranged from Small to Large

Usage`judge_123(x)`**Arguments**

`x` numeric vector

Value

logical

Examples

```
judge_123(c(1,2,3,4,5))
judge_123(c(1,3,2))
```

`judge_321`*Whether the Data Is Arranged from Large to Small*

Description

Whether the Data Is Arranged from Large to Small

Usage`judge_321(x)`**Arguments**

`x` numeric vector

Value

logical

Examples

```
judge_321(c(5,4,3,2,1))
judge_321(c(3,1,2))
```

linear	<i>Significant Cutoff Value for Linear Regression</i>
--------	---

Description

Significant Cutoff Value for Linear Regression

Usage

```
linear(data, y, x, cut.numb, n.per, p.cut = 0.05, strict = TRUE,  
       include = "low", round = 2)
```

Arguments

data	data
y	name for y
x	name for x
cut.numb	number of cutoff points
n.per	the least percentage of the smaller group comprised in all patients
p.cut	cutoff of p value, default is 0.05
strict	logical. TRUE means significant differences for each group combination were considered. FALSE means considering for any combination
include	direction of cutoff point. Any left letter of lower or upper
round	digital. Default is 2

Value

a dataframe contains cutoff points value, subject numbers in each group, dumb variable, beta of regression and p value.

Examples

```
linear(data=mtcars,y='qsec',x='disp',  
       cut.numb=2,  
       n.per=0.25)
```

```
linear(data=mtcars,y='qsec',x='disp',  
       cut.numb=2,  
       n.per=0.25,  
       p.cut=0.05,  
       strict=TRUE,  
       include='low',  
       round=2)
```

```
linear(data=mtcars,y='qsec',x='disp',  
       cut.numb=2,  
       n.per=0.25,
```

```
p.cut=0.05,
strict=FALSE,
include='low',
round=2)
```

logit

Significant Cutoff Value for Logistic Regression

Description

Significant Cutoff Value for Logistic Regression

Usage

```
logit(data, y, x, cut.numb, n.per, y.per, p.cut = 0.05, strict = TRUE,
      include = "low", round = 2)
```

Arguments

data	data
y	name for y, must be coded as 1 and 0. The outcome must be 1
x	name for x
cut.numb	number of cutoff points
n.per	the least percentage of the smaller group comprised in all patients
y.per	the least percentage of the smaller outcome patients comprised in each group
p.cut	cutoff of p value, default is 0.05
strict	logical. TRUE means significant differences for each group combination were considered. FALSE means considering for any combination
include	direction of cutoff point. Any left letter of lower or upper
round	digital. Default is 2

Value

a dataframe contains cutoff points value, subject numbers in each group, dumb variable, or of regression and p value.

Examples

```
logit(data=mtcars,
      y='am',
      x='disp',
      cut.numb=1,
      n.per=0.25,
      y.per=0.25)
logit(data=mtcars,
      y='am',
```

```
x='disp',
cut.numb=1,
n.per=0.25,
y.per=0.20,
p.cut=0.05,
strict=TRUE,
include='low',
round=2)
```

logrank

Significant Cutoff Value for Logrank Analysis

Description

Significant Cutoff Value for Logrank Analysis

Usage

```
logrank(data, time, y, x, cut.numb, n.per, y.per, p.cut = 0.05,
        strict = TRUE, include = "low", round = 2)
```

Arguments

data	data
time	name for time variable
y	name for y, must be coded as 1 and 0. The outcome must be 1
x	name for x
cut.numb	number of cutoff points
n.per	the least percentage of the smaller group comprised in all patients
y.per	the least percentage of the smaller outcome patients comprised in each group
p.cut	cutoff of p value, default is 0.05
strict	logical. TRUE means significant differences for each group combination were considered. FALSE means considering for any combination
include	direction of cutoff point. Any left letter of lower or upper
round	digital. Default is 2

Value

a dataframe contains cutoff points value, subject numbers in each group, dumb variable, beta of regression and p value.

Examples

```
logrank(data=mtcars,  
        time = 'disp',y='am', x='wt',  
        cut.numb=2,  
        n.per=0.25,  
        y.per=0.10)
```

```
logrank(data=mtcars,  
        time = 'disp',y='am', x='wt',  
        cut.numb=2,  
        n.per=0.25,  
        y.per=0.10,  
        p.cut=0.05,  
        strict=TRUE,  
        include='low',  
        round=2)
```

x_ab

Return x Between a and b

Description

Return x Between a and b

Usage

```
x_ab(x, a, b, include = "l")
```

Arguments

x	numeric vector
a	one number
b	one number
include	The direction of a and b. Any left letter of lower or upper

Value

values of x between a and b

Examples

```
x_ab(mtcars$disp, 150, 190)
```


Index

cox, [2](#)
cutit, [3](#)

judge_123, [4](#)
judge_321, [4](#)

linear, [5](#)
logit, [6](#)
logrank, [7](#)

x_ab, [8](#)